



IMAGO Edu Board | Lite















Classro

One Cable Connection
























the tools they need to have a seamless experience of a traditional physical classroom, moderate how students engage either in 1:1 mode or group collaboration, educators can easily manage their class's learning on school or BYOD devices, monitor students' activities and evaluate performance in real-time, by moderating which students get to share their screen, collaborate, provide individual or group assistance and implement collaborative

IMAGO Smart Present Classroom Management allow educators to focus on teaching, streamline the learning experience and keep their finger on the classroom pulse. IMAGO Smart Present elevate the traditional classroom experience to the innovative pedagogies of the future.

IMAGO Smart Present supports collaboration from any device, making your interaction with any IMAGO all-in-one systems easy.

- A Classroom Management & collaboration tool for interactive & fun learning.
- Share your idea effortlessly with real-time screen mirroring, up
- to 9 devices. Comes with moderator control with Reverse Broadcast up to 100 devices or more.
- Sharing is made even easier with high compatibility with multiple OS: Android, iOS, Windows, Mac & Chrome.





IMAGO Collab

A virtual whiteboard for live collaborations with a feature-rich library.

IMAGO Collab is a lightweight virtual whiteboard that enables distributed teams to work together effectively and seamlessly.

Compatible with any device and browsers.

IMAGO Collab works on any device, from laptops to desktops, tablets, and mobile devices. It is also optimised for all browsers from Chrome to Safari and Edge.

Never too Far to Collaborate.

Collab empowers remote, onsite, and hybrid teams to communicate and collaborate across various formats, tools, channels, and time zones - without the constraints of a physical location, meeting space and whiteboards.

Supercharge Your Brainstorming Sessions.IMAGO Collab is equipped with templates and a feature-rich sketching library to facilitate effective brainstorming sessions or team discussions. For example, users can start their brainstorming session quickly and efficiently by simply importing their favourite brainstorming or mind-mapping templates from the library without having to create one from scratch.

Applications & Solutions





Control, Automate And Manage With Confidence.

An Easier Way to Manage and Maintain Your Classroom Investment

Deploying a fleet of IMAGO Edu Boards (Interactive Flat Panels) in your classroom is possibly one of the most significant investments in any educational institution. You will need an equally sophisticated yet easy-to-use solution to centrally manage and control your technology landscape at all times.

Take Control and Trouble Shoot Remotely.

A highly tech-savvy and connected learning environment may present its own set of challenges where it also encourages unwanted "guests" or troublemakers who will try to tinker with device settings, causing devices to fail.

To allow teachers to focus and students to engage and do more, IMAGO Proctor offers the automated convenience of implementing patches, updates, and device configurations to address these challenges remotely.

- Unified Operations, wherever and whenever.
- Protect Your Devices, Users and Data.
- Software Management Made Easy.







IMAGO Work

A Secured & Reliable File-Sharing & Collaboration Solutions.

IMAGO Work is a secured and reliable productivity platform for file sharing that keeps team members in sync by allowing users to collaborate in a real-time manner on documents and project files.

IMAGO Work is equipped with rich collaboration features that empower remote and distributed teams to teach and learn effectively despite the distance.

These features include file preview, file access control, file locking, online editing with remote collaboration, user management and single sign-on, cross-platform file syncing, data backup and recovery.

SPECIFICATIONS

Position of the Control of the Control of	MODEL	IMB-65-EDU-L	IMB-75-EDU-L	IMB-86-EDU-L	
Symbol					
Property		65"	75"	86"	
Service Service Report No 3999 Chapter No 3999 Child Color 3999 Chill Color 3999 <td>Light Source</td> <td></td> <td>LED</td> <td></td>	Light Source		LED		
Section <	Brightness				
Separa	Contrast				
Marie Algorithm	Resolution	3840 x 2160 (4K)			
Page	Response Time	5 ms			
System 1989 System	Viewing Angle	178°			
Post	Display Colour	8 bits			
Professional	Screen Protection	4mm Toughened Glass Surface Protection			
Miles	RGB Signal	VGA/SVGA/XVGA/SXGA/WUXGA			
Add 1906.2 15 182 Bit 18 Total States					
GS 2-9-1					
1981					
Page					
Part					
Section 1980 4 of 1980 CONCINTATION CONTROLL OF THE AUTO OF T					
March Colonia					
Power Control Protection 15 Toward Control Protection Toward Control Toward Control </td <td></td> <td></td> <td></td> <td></td>					
Name Port Mode Mit Name Port Name P			XI		
Teach State			x1		
Book Selence Residue Selence Touch Selence R Appeales Winney Tool ———————————————————————————————————	1 1 1		Al		
Final Prison Fin			Anti-Brask		
Woods (Seed) Prince Finger Processor Fine Activation Course (Seed)					
Woods (Seed) Prince Finger Processor Fine Activation Course (Seed)					
Seal Beliable Seal Beliabl					
Particum	Touch Resolution				
Positioning Accuracy Positioning Accuracy Distribution (2	Response Time		Less than 5ms		
Solitation Sol	Cursor Speed		125 point/s		
Buils in Spalenia 2x 16 watts CPS Processor RAM SECRET SECRE	Positioning Accuracy		1mm		
### Desiration	Interface to Computer (External)		USB (Touch Out) x 2		
Processor Intel Core 15 / Core 17 Skinge 3 6/8 / 16 68 Skinge 1 28 68 / 25 68 25 50 LN Port 1 MVAN 2 46 8 5 5 6/12 APROBOP Processing Findersor Quad core Arm Corner A55 [Each core 1.86/12] RAM 4 68 Storage 3 26 68 Wift 4 68 Storage 3 26 68 Wift (A) Wift (2 5 5 6) Wift (A) 1 30 Wift (A) 1 5 1 Android Version 5 1 Android Version 5 1 Android Version 5 1 MAGO Clotals Wireless display up to 9, Recerne broadcast up to 100 MAGO Clotals Embedded MAGO Clotals Embedded MAGO Clotals Embedded Rower Supply A Clotal South (2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	SOUND				
Processor Intel Core 17 (Core 17) RAM 8 (8/16 (68) Storage 128 (61/26 (68) (50) LAN Port x1 WIAN ADRORD Processing Processor Quad core Arm Contex-ASS (Each core 1.8GHz) Storage 30 GB Wife A (GB Storage Wife A (GB Wife Bluetooth A (GB Bluetooth A (GB Bluetooth A (GB Bluetooth	Built-in Speakers		2x 16 watts		
8 C8 / 16 G8 Storage 128 G8 / 256 G8 550 LAN Port 2 A (Riz & 5 Ghz FIX PORT OF THE PORT OF T	OPS Processing (Optional)				
Storage 128 GB / 256 GB SSD LAN Port x1			Intel Core i5 / Core i7		
LN Port x1 WAN 2.4 Gits & 5 Gits ADROID Processing Processor Quad core Arm Cortex-AS5 (Each core 1.8 Gits) FRAM 4 GB Storage 4 GB Wife 124, 5.0 Bilactockh 5.1 Android Version 5.1 MAGO Smart Present Wireless display up 0.9 Reverse broadcast up to 100 BMAGO Smart Present MAGO Colds Embedded BMAGO Proctor Embedded MAGO Proctor Embedded BMAGO Proctor Embedded BMAGO Proctor Embedded BMAGO Proctor Embedded BMAGO Proctor Embedded BMAGO Proctor	RAM	8 GB / 16 GB			
2,46h2 & 56h2 ABAM Trocessing Procesor Quad care Am Cortex A55 (Each core 186Hz) Storage 4 GB Storage 32 GB Bluetodh 5.1 Android Version 3.0 Solvitors MAGO Smart Present MAGO Scalab Wireless display up to 9, Reverse broadcast up to 100 MAGO Scalab Embedded MAGO Process Embedded MAGO Process Embedded Power Supply Power Supply AC175-264 50/K0Hz 380 watt Power Compine 200 watt 300 watt 380 watt Mechanicar Power Supply 6 Sq. 200 watt 6 Sq. 200 watt 6 Sq. 200 watt Brown Supply 10 gg at 19 gg at 200 watt 10 gg at 200 wat					
ANDROID Processing Processor Quad core Arm Cortex-A55 (Each core 1.8GHz) RAM 4 GB Storage 32 GB Wiff \$15 CT Buetooth 5.1 Android Version 13.0 Solution BMAGO Shart Present Wireless display up to 9, Reverse broadcast up to 100 BMAGO Proctor Embedded BMAGO Work Embedded Power Supply AC176-264 S0/60Hz S0.0 Power Supply AC176-264 S0/60Hz 380 watt Bower Consuption 220 watt 300 watt 380 watt Directions (W x D x H) mm 1482-288/897 1717-87x/1032 1968-88x/170 Weight (kg) 39kg 50kg 65kg Included Int & Row Power Cable, Remote Control, 2x Stylus Pen, Wall Mount Bracket Optional Accessories Optional Accessories Coeer Coastele, Remote Control, 2x Stylus Pen, Wall Mount Bracket Optional Coeers and Coaster (ACCessories Pack) Optional Accessories					
Processor Quad core Arm Cortex-ASS (Each core 1.8GHz) RAM 4 GB Storage 32 GB Wif WH 2 A, 5.0 Bluetooth 5.1 Android Version 13.0 Solutions UMAGO Smart Present IMAGO Smart Present Wireless display up to 9, Reverse broadcast up to 100 IMAGO Collab Embedded IMAGO Work Embedded IMAGO Work Embedded Power Supply ACI 76-264 50/80Hz Power Supply ACI 76-264 50/80Hz Power Consumption 220 watt 300 watt Methanical Umensions (W x D x H) mm 1482x88x897 1717x87x1032 1968x8x1170 Weight (kg) 39kg 50kg 55kg Included in the Box Accessories Pack Power Cable, Remote Control, 2x Stylus Pen, Wall Mount Bracket Optional Accessories		2.4Ghz &5Ghz			
RAM 4 GB Storage 32 GB Wifi CREAD OF THE STORAGE					
Storage 32 GB Wifi					
Wifi WIF12.4, 5.0 Bluetooth 5.1 Android Version 13.0 Solutions IMAGO Smart Present IMAGO Smart Present Wireless display up to 9, Reverse broadcast up to 100 IMAGO Collab Embedded IMAGO Protoro Embedded IMAGO Work Embedded Power Supply Power Supply AC176-264 50/60Hz 380 watt Power Consumption 220 watt 300 watt 380 watt Mechanical Dimensions (W x D x H) mm 1482x88x897 1717x87x1032 1968x88x1170 Weight (kg) 39kg 50kg 65kg Included Int B Box Power Cable, Remote Control, 2x Stylus Pen, Wall Mount Bracket Optional Accessories Accessories Pack USB Guest Dongle					
Solution					
Android Version 13.0 Solutions IMAGO Smart Present Wireless display up to 9, Reverse broadcast up to 100 IMAGO Collab Embedded IMAGO Work Embedded MAGO Work Embedded Power Supply Power Supply Power Supply Power Consumption 220 watt 300 watt 380 watt Dimensions (W x D x H) mm 1482x88x897 1717x87x1032 1968x8x1170 Weight (kg) 39kg 50kg 65kg Included In the Box Accessories Pack Power Cable, Remote Control, 2x Stylus Pen, Wall Mount Bracket Optional Accessories Accessories 1 USB Guest Dongle					
MAGO Smart Present Wireless display up to 9, Reverse broadcast up to 100 MAGO Collab					
MAGO Smart Present MAGO Collab MAGO Proctor MAGO Proctor MAGO Work Power Supply Power Supply Power Consumption 220 watt 300 watt 300 watt 380 watt Mechanical Dimensions (W.X.D.X.H.) mm 1482x88x897 1717x87x1032 1968x88x1170 Weight (kg) 39kg Fower Cable, Remote Control, 2x Stylus Pen, Wall Mount Bracket Optional Accessories 1 MSG Guest Dongle USS Guest Dongle			13.0		
IMAGO Collab Embedded IMAGO Proctor Embedded IMAGO Work Embedded Power Supply Power Consumption 220 watt AC176-264 50/60Hz Mechanical Dimensions (W x D x H) mm 1482x88x897 1717x87x1032 1968x88x1170 Weight (kg) 39kg 50kg 65kg Included In the Box Accessories Pack Power Cable, Remote Control, 2x Stylus Pen, Wall Mount Bracket Optional Accessories Accessories 1 USS Guest Dongle		Wireless display up to 9. Reverse hroadcast up to 100			
IMAGO Proctor Embedded IMAGO Work Embedded Power Supply Power Consumption 220 watt AC176-264 50/60Hz S80 watt Mechanical Dimensions (W x D x H) mm 1482x88x897 1717x87x1032 1968x88x1170 Weight (kg) 39kg 50kg 65kg Included In the Box Accessories Pack Power Cable, Remote Control, 2x Stylus Pen, Wall Mount Bracket Optional Accessories Accessories 1 USS Guest Dongle					
IMAGO Work Embedded Power Supply AC176-264 50/60Hz Sago watt Power Consumption 220 watt 300 watt 380 watt Mechanical Dimensions (Wx Dx H) mm 1482x88x897 1717x87x1032 1968x88x1170 Weight (kg) 39kg 50kg 65kg Included In the Box Accessories Pack Power Cable, Remote Control, 2x Stylus Pen, Wall Mount Bracket Optional Accessories US8 Guest Dongle					
Power Supply Power Consumption 220 watt 300 watt 380 watt Mechanical Dimensions (Wx Dx H) mm 1482x88x897 1717x87x1032 1968x88x1170 Weight (kg) 39kg 50kg 65kg Included In the Box Power Cable, Remote Control, 2x Stylus Pen, Wall Mount Bracket Optional Accessories USB Guest Dongle					
Power Consumption 220 watt 300 watt 380 watt Mechanical Umensions (Wx Dx H) mm 1482x88x897 1717x87x1032 1968x88x1170 Weight (kg) 39kg 50kg 65kg Included In the Box Accessories Pack Power Cable, Remote Control, 2x Stylus Pen, Wall Mount Bracket Optional Accessories Accessories 1 USB Guest Dongle					
Mechanical Dimensions (W x D x H) mm 1482x88x897 1717x87x1032 1968x88x1170 Weight (kg) 39kg 50kg 65kg Included In the Box Accessories Pack Power Cable, Remote Control, 2x Stylus Pen, Wall Mount Bracket Optional Accessories Accessories 1 USB Guest Dongle	Power Supply		AC176-264 50/60Hz		
Dimensions (W x D x H) mm 1482x88x897 1717x87x1032 1968x88x1170 Weight (kg) 39kg 50kg 65kg Included In the Box Accessories Pack Power Cable, Remote Control, 2x Stylus Pen, Wall Mount Bracket Optional Accessories Accessories 1 USB Guest Dongle	Power Consumption	220 watt	300 watt	380 watt	
Weight (kg) 39kg 50kg 65kg Included In the Box Accessories Pack Power Cable, Remote Control, 2x Stylus Pen, Wall Mount Bracket Optional Accessories Accessories 1 USB Guest Dongle	Mechanical				
Included In the Box Accessories Pack Power Cable, Remote Control, 2x Stylus Pen, Wall Mount Bracket Optional Accessories Accessories 1 USB Guest Dongle	Dimensions (W x D x H) mm	1482x88x897	1717x87x1032	1968x88x1170	
Accessories Pack Power Cable, Remote Control, 2x Stylus Pen, Wall Mount Bracket Optional Accessories Accessories 1 USB Guest Dongle	Weight (kg)	39kg	50kg	65kg	
Optional Accessories Accessories 1 USB Guest Dongle	Included In the Box				
Accessories 1 USB Guest Dongle	Accessories Pack		Power Cable, Remote Control, 2x Stylus Pen, Wall Mount Bracket		
	Optional Accessories				
Annual Control of the	Accessories 1				
Accessories 2 Mobile Floor Stand	Accessories 2		Mobile Floor Stand		



IMAGO TECHNOLOGIES LLC

17 State Street, 40th Floor,New York, NY 10004, United States of America.

sales@imagotechs.com

Follow us





Authorised Partner